

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	46	((("2731834") or ("3076342") or ("3102429") or ("3741016") or ("4341119") or ("4576044") or ("4939941") or ("5054918") or ("5189912") or ("5396436") or ("5827964") or ("6122957") or ("6323942") or ("6396397") or ("6535275") or ("6535281") or ("6244108") or ("6619362") or ("5915274"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25
S2	1	S1 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:46
S3	28	S1 and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:55
S4	2261	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:39
S5	0	S4 and distance information and ballance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:56
S6	1	S4 and distance information and balance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:57
S7	1	S4 and distance information and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:57

S8	1	S4 and distance information and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:57
S9	17	S4 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:58
S10	4	S4 and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:59
S11	32	tire changing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:03
S12	3	S11 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:05
S13	1	S12 and optical image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:04
S14	8	S11 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:05
S15	0	S4 and distance and pixle array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:10

S16	26	S4 and distance and pixel array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:10
S17	4	S16 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:10
S18	1	2002/0018218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:18
S19	2	("20020018218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:18
S20	6	S4 and radial runout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:34
S21	68	S4 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:49
S22	4	S21 and communicate same store\$2 same values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:40
S23	1	S4 and presence near3 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:56

S24	1	S4 and presence near5 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:56
S25	1	S4 and tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:56
S26	6	presence near3 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:04
S27	1	S4 and spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:04
S28	480	spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:04
S29	141	S28 and (laser or opical or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:04
S30	74	S29 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:05
S31	6	S30 and valve stem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:05

S32	1	S31 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:05
S33	2	S4 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:13
S34	0	S4 and tread depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:13
S35	3	S4 and tread depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:15
S36	1	S4 and imbalance correction weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:16
S37	1	S4 and imbalance weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:16
S38	13	S4 and imbalance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:16
S39	1	S4 and imbalance near3 correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:16

S40	1	S4 and imbalance same correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:17
S41	1	S4 and rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:17
S42	4	rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:18
S43	97	rim defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:18
S44	33	S43 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:18
S45	15	S44 and (light or laser or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:19
S46	91	S4 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:25
S47	1	S46 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:25

S48	5514	wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:25
S49	41	S48 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:25
S50	31	S49 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:26
S51	8	S4 and tire inflation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:48
S52	1	S4 and tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:49
S53	1	tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:49
S54	1	tire bead removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:49
S55	3	tire removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:49

S56	1037	tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:05
S57	13	S56 and wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:07
S58	6	presence near4 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:09
S59	6	presence near7 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:36
S60	32	presence same tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:09
S61	5	S4 and three dimensional data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:37
S62	166	S4 and three dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:38
S63	3	S4 and three dimensional information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:37

S64	2	S62 and wheel balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:50
S65	0	S4 and location of weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:50
S66	4	S4 and location near3 weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:56
S67	1	S4 and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:56
S68	13	balance and wheel and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:59
S69	1	S68 and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:59
S70	2	("20040172835").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:34
S71	2261	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:40

S72	68	S71 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:40
S73	0	S72 and communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:40
S74	93	communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:41
S75	0	communicate near3 store\$2 near3 values and wheel allingment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:41
S76	0	communicate near3 store\$2 near3 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:42
S77	2	communicate near7 store\$2 near7 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:42